



PHILLIP L. FREE, JR.
Direct Dial: 405.239.6656
Direct Fax: 405.272.5947



CROWE & DUNLEVY
A PROFESSIONAL CORPORATION
Attorneys and Counselors at Law
Founded 1902

05-26-06

\$AR
CFW

freephil@crowedunlevy.com

May 24, 2006

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent Application No.: 09/607,225
CHEMICAL GENERATOR USING HYDRO-LOGIC SYSTEM
Filing Date: June 30, 2000
Docket No.: P1045US01 (26745-00045)

Dear Commissioner:

Enclosed, please find the following documents for filing in connection with the above-referenced patent application:

1. Amendment Transmittal Letter (1 page);
2. Amendment and Response to Final Rejection mailed December 28, 2005 (12 pages);
3. Petition for Extension of Time under 37 CFR 1.136(a);
4. Check in the amount of \$225.00; and
5. An Acknowledgment postcard.

In the event of a fee deficiency, you are hereby authorized to charge our deposit account no.: 130110 any applicable fees. Please reference our docket no.: P1045US01. Should you have any questions, please do not hesitate to contact me.

Sincerely,

Phillip L. Free, Jr., Reg. No. 38,143
For the Firm

PLF/jkw
Enclosures
cc: Bio-Cide International, Inc.

1568188.1
TULSA
500 KENNEDY BUILDING
321 SOUTH BOSTON AVENUE
TULSA, OK 74103-3313
TEL: 918.592.9800 • FAX: 918.592.9801

OKLAHOMA CITY
20 NORTH BROADWAY, SUITE 1800
OKLAHOMA CITY, OK 73102-8273
TEL: 405.235.7700 • FAX: 405.239.6651

NORMAN
THE HIPOINT OFFICE BUILDING
2500 SOUTH MCGEE, SUITE 140
NORMAN, OK 73072-6705
TEL: 405.321.7317 • FAX: 405.360.4002